

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SCIENCE @ DIRECT®

Aquaculture 217 (2003) 693–696

---

**Aquaculture**

---

[www.elsevier.com/locate/aqua-online](http://www.elsevier.com/locate/aqua-online)

---

## Contents of *Aquaculture*, Volume 217

VOL. 217 NOS. 1–4

17 March 2003

### Diseases, Parasites and Predators

Treatment of spionid mud worm ( <i>Boccardia knoxi</i> Rainer) infestation of cultured abalone M. Leonart (King Meadows, Launceston, Tas., Australia), J. Handlinger (King Meadows, Tas., Australia) and M. Powell (Launceston, Tas., Australia) . . . . .	1
Characterization of chloramphenicol acetyltransferase gene by multiplex polymerase chain reaction in multidrug-resistant strains isolated from aquatic environments M.H. Yoo, M.-D. Huh (Pusan, South Korea), E.-h. Kim (Cheonnam, South Korea), H.-H. Lee and H.D. Jeong (Pusan, South Korea) . . . . .	11
Application-dependent, laboratory-based validation of an enzyme-linked immunosorbent assay for <i>Aeromonas salmonicida</i> D. Gilroy (Cork Institute of Technology, Ireland) and P. Smith (Galway, Ireland) . . . . .	23
Antibiotic resistance in bacteria isolated from hatchery-reared larvae and post-larvae of <i>Macrobrachium rosenbergii</i> A.S. Sahul Hameed, K.H. Rahaman, A. Alagan (Tamil Nadu, India) and K. Yoganandhan (Chennai, India) . . . . .	39
A nondestructive tool for the measurement of muscle strength in juvenile oysters <i>Crassostrea gigas</i> S.A. Poulet, J.-F. Lennon, F. Plouvenez, F. Jalabert, G. Correc, A. Cueff and A. Lacoste (Roscoff, France) . . . . .	49
A simple analytical procedure to replace HPLC for monitoring treatment concentrations of chloramine-T on fish culture facilities V.K. Dawson, J.R. Meinertz, L.J. Schmidt and W.H. Gingerich (La Crosse, WI, USA) . . . . .	61
<i>Philasterides dicentrarchi</i> (Ciliophora, Scuticociliatida): experimental infection and possible routes of entry in farmed turbot ( <i>Scophthalmus maximus</i> ) A. Paramá, R. Iglesias, M.F. Álvarez, J. Leiro (Santiago de Compostela, Spain), C. Aja (Lugo, Spain) and M.L. Sanmartín (Santiago de Compostela, Spain) . . . . .	73
Hybridization between the freshwater prawns <i>Macrobrachium rosenbergii</i> (De Man) and <i>M. carcinus</i> (L.) C. Graziani, C. Moreno, E. Villarroel, T. Orta, C. Lodeiros and M. De Donato (Cumaná, Venezuela)	81

### Genetics

Comparison of growth performance, immunological response and genetic diversity of five strains of rainbow trout ( <i>Oncorhynchus mykiss</i> ) K. Overturf, M.T. Casten (Hagerman, ID, USA), S.L. LaPatra (Buhl, ID, USA), C. Rexroad III (Keameysville, WV, USA) and R.W. Hardy (Hagerman, ID, USA) . . . . .	93
Efficient detection of parentage in a cultured Japanese flounder <i>Paralichthys olivaceus</i> using microsatellite DNA marker M. Hara (Nansei, Japan) and M. Sekino (Shiogama, Japan) . . . . .	107

Genetic variation between four species of Indian major carps as revealed by random amplified polymorphic DNA assay H.K. Barman, A. Barat, B.M. Yadav, S. Banerjee, P.K. Meher, P.V.G.K. Reddy and R.K. Jana (Orissa, India) .....	115
<b>Husbandry and Management</b>	
Evaluation of methods for determining the prevalence of blood spots in smoked Atlantic salmon and the effect of exsanguination method on prevalence of blood spots D.H.F. Robb, A.J. Phillips and S.C. Kestin (Bristol, UK) .....	125
Developing farming structures for production of biologically active sponge metabolites A.R. Duckworth and C.N. Battershill (Wellington, New Zealand) .....	139
The gametogenic cycle of <i>Scrobicularia plana</i> (da Costa, 1778) (Mollusc: Bivalve) in Guadalquivir estuary (Cádiz, SW Spain) A. Rodriguez-Rúa, M.A. Prado, Z. Romero (Seville, Spain) and M. Bruzón (El Puerto de Santa María, Spain) .....	157
Effects of the dinoflagellate <i>Alexandrium tamarense</i> on early development of the scallop <i>Argopecten irradians concentricus</i> T. Yan, M. Zhou, M. Fu, R. Yu, Y. Wang and J. Li (Qingdao, PR China) .....	167
The Feasibility of industrial production of <i>Spirulina (Arthrospira)</i> in Southern Spain C. Jiménez, B.R. Cossío, D. Labella and F. Xavier Niell (Málaga, Spain) .....	179
Seasonal variations in chemical and sensory characteristics of farmed and wild Atlantic halibut ( <i>Hippoglossus hippoglossus</i> ) G.B. Olsson, R.L. Olsen, M. Carleholg (Tromsø, Norway) and R. Ofstad (Ås, Norway) .....	191
Treatment of rainbow trout farm effluents in constructed wetland with emergent plants and subsurface horizontal water flow C. Schulz, J. Gelbrecht and B. Rennert (Berlin, Germany) .....	207
Ingestion rates of <i>Artemia</i> nauplii for different larval stages of <i>Macrobrachium rosenbergii</i> H.P. Barros (São Paulo, Brazil) and W.C. Valenti (Jaboticabal, Brazil) .....	223
Physical, chemical and biological characteristics of distinctive regions in paddlewheel aerated shrimp ponds P.C. Delgado (Columbia, SC, USA), Y. Avnimelech (Haifa, Israel), R. McNeil (Calverton, MD, USA), D. Bratvold, C.L. Browdy (Bluffton, SC, USA) and P. Sandifer (Columbia, SC, USA) .....	235
Vulnerability of Pacific threadfin juveniles to predation by bluefin trevally and hammerhead shark: size dependent mortality and handling stress R. Masuda and D.A. Zieman (Waimanalo, HI, USA) .....	249
Fertilization, larval rearing and post-larval growth of the Tehuelche scallop <i>Aequipecten tehuelchus</i> D'Orb., 1846 M.A. Narvarte and M.S. Pascual (Rio Negro, Argentina) .....	259
Growth of <i>Oreochromis aureus</i> fed with diets containing graded levels of coffee pulp and reared in two culture systems J.B. Ulloa Rojas (Heredia, Costa Rica) and J.A.J. Verreth (Wageningen, The Netherlands) .....	275
Appraising zinc bioaccumulation in abalone <i>Haliotis diversicolor supertexta</i> and alga <i>Gracilaria tenuistipitata</i> var. <i>liui</i> by probabilistic analysis C.-M. Liao, M.-P. Ling (Taipei, Taiwan, ROC) and J.-S. Chen (Kaohsing, Taiwan, ROC) .....	285
Growth advantages of ear hanging compared to cage culture for sea scallops, <i>Placopecten magellanicus</i> J. Grant (Halifax, Nova Scotia, Canada), C.W. Emerson (Bethesda, MD, USA; Halifax, Nova Scotia, Canada), A. Mallet and C. Carver (Dartmouth, Nova Scotia, Canada) .....	301
Aspects of the biology and ecology of the brown tiger prawn, <i>Penaeus esculentus</i> , relevant to aquaculture S.J. Keys (Cleveland, Australia) .....	325
Growth and gametogenesis in the lion-paw scallop <i>Nodipecten (Lyropecten) subnodosus</i> I.S. Racotta, J.L. Ramirez, A.M. Ibarra, M.C. Rodriguez-Jaramillo, D. Carreño and E. Palacios (La Paz, Mexico) .....	335

Physiological ecology and possible control strategy of a toxic marine dinoflagellate, <i>Amphidinium</i> sp., from the benthos of a mariculture pond	351
J.J. Lee (New York, NY, USA), M. Shpigel (Eilat, Israel), S. Freeman (New York, NY, USA), O. Zmora (Eilat, Israel), S. Mcleod, S. Bowen, M. Pearson and A. Szostek (New York, NY, USA)	
Suitability studies of inland well waters for <i>Litopenaeus vannamei</i> culture	373
I.P. Saoud, D.A. Davis and D.B. Rouse (Auburn, AL, USA)	
Control of the herbivorous isopod, <i>Paridotea reticulata</i> , in <i>Gracilaria gracilis</i> tank cultures	385
A.J. Smit, A.M. Fourie, B.L. Robertson and D.R. du Preez (Port Elizabeth, South Africa)	
Hybrid catfish ( <i>Clarias macrocephalus</i> × <i>C. gariepinus</i> ) and Nile tilapia ( <i>Oreochromis niloticus</i> ) culture in an integrated pen-cum-pool system: growth performance and nutrient budgets	395
Y. Yi, C.K. Lin (Pathum Thani, Thailand) and J.S. Diana (Ann Arbor, MI, USA)	
Economic optimization modeling of white sturgeon ( <i>Acipenser transmontanus</i> ) caviar and meat production under different management conditions	409
B.J. Sanders, J.G. Fadel and E.M. Wade (Davis, CA, USA)	
Effects of light path lengths and initial culture density on the cultivation of <i>Chaetoceros muelleri</i> (Lemmermann, 1898)	431
T. Göksan, Y. Durmaz and Ş. Gökpınar (İzmir, Turkey)	
<b>Nutrition</b>	
Impact of algal diets and emulsions on the fatty acid composition and content of selected tissues of adult broodstock of the Chilean scallop <i>Argopecten purpuratus</i> (Lamarck, 1819)	437
M. Caers, P. Coutteau, P. Sorgeloos (Ghent, Belgium) and G. Gajardo (Osorno, Chile)	
Influence of protein/energy ratio on carcass quality during the growing period of Eurasian perch ( <i>Perca fluviatilis</i> )	453
N. Mathis, C. Feidt and J. Brun-Bellut (Nancy, France)	
Total replacement of fish oil by soybean or linseed oil with a return to fish oil in turbot ( <i>Psetta maxima</i> ): I. Growth performance, flesh fatty acid profile, and lipid metabolism	465
C. Regost, J. Arzel, J. Robin (Plouzané, France), G. Rosenlund (Stavanger, Norway) and S.J. Kaushik (Saint Péé-sur-Nivelle, France)	
Optimal dietary protein level for juvenile southern rock lobster, <i>Jasus edwardsii</i> , at two lipid levels	483
L.R. Ward, C.G. Carter (Launceston, Tas., Australia), B.J. Crear (Hobart, Tas., Australia) and D.M. Smith (Cleveland, Que., Australia)	
Finding new diatoms for intensive rearing of the pacific oyster ( <i>Crassostrea gigas</i> ): energy budget as a selective tool	501
L. Barillé (Nantes, France), J. Haure (Bouin, France), E. Pales-Espinosa and M. Morançais (Nantes, France)	
Responses of Nile tilapia ( <i>Oreochromis niloticus</i> ) fed diets containing different concentrations of moniliformin or fumonisin B <sub>1</sub>	515
N.A. Tuan, B.B. Manning, R.T. Lovell (Auburn, AL, USA) and G.E. Rottinghaus (Columbia, MO, USA)	
Effects of ration level on immune functions in chinook salmon ( <i>Oncorhynchus tshawytscha</i> )	529
S.W. Alcorn, R.J. Pascho, A.L. Murray and K.D. Shearer (Seattle, WA, USA)	
The influence of temperature and ration on growth, feed conversion, body composition and nutrient retention of juvenile turbot ( <i>Scophthalmus maximus</i> )	547
E.H. Van Ham (Nijmegen, The Netherlands), M.H.G. Berntssen (Bergen, Norway), A.K. Imsland (Reykjavík, Iceland), A.C. Parpoura (Mesolonghi, Greece), S.E. Wendelaar Bonga (Nijmegen, The Netherlands) and S.O. Stefansson (Bergen, Norway)	
Excess dietary arginine affects urea excretion but does not improve N utilisation in rainbow trout <i>Oncorhynchus mykiss</i> and turbot <i>Psetta maxima</i>	559
V. Fournier (Saint Péé sur Nivelle, France), M.F. Gouillou-Coustans, R. Méttailler (Plouzané, France), C. Vachot (Saint Péé sur Nivelle, France), J. Moriceau, H. Le Delliou, C. Huelvan, E. Desbruyeres (Plouzané, France) and S.J. Kaushik (Saint Péé sur Nivelle, France)	

The effect of dietary phosphatidylcholine on the assimilation and distribution of ingested free oleic acid (18:1n-9) in gilthead seabream ( <i>Sparus aurata</i> ) larvae	577
E. Hadas, W. Koven (Eilat, Israel), D. Sklan (Rehovot, Israel) and A. Tandler (Eilat, Israel)	
Effects of feeding rate on growth performance of white sturgeon ( <i>Acipenser transmontanus</i> ) larvae	589
D.-F. Deng (Davis, CA, USA), S. Koshio, S. Yokoyama (Kagoshima, Japan), S.C. Bai (Busan, South Korea), Q. Shao (Hangzhou, China), Y. Cui (Hubei, China) and S.S.O. Hung (Davis, CA, USA)	
Evaluation of nutritional quality of moringa ( <i>Moringa oleifera</i> Lam.) leaves as an alternative protein source for Nile tilapia ( <i>Oreochromis niloticus</i> L.)	599
N. Richter, P. Siddharaju and K. Becker (Stuttgart, Germany)	
Supplementation of EPA and DHA emulsions to a <i>Dunaliella tertiolecta</i> diet: effect on growth and lipid composition of scallop larvae, <i>Argopecten purpuratus</i> (Lamarck, 1819)	613
N. Nevejan (Osorno Chile; Ghent Belgium), I. Saez, G. Gajardo (Osorno, Chile) and P. Sorgeloos (Ghent, Belgium)	
<b>Physiology and Endocrinology</b>	
Effects of photoperiod and light intensity on growth and activity of juvenile haddock ( <i>Melanogrammus aeglefinus</i> )	633
E.A. Trippel and S.R.E. Neil (St. Andrews, New Brunswick, Canada)	
Feed intake, growth and ionoregulation in Atlantic salmon ( <i>Salmo salar</i> L.) smolts in relation to dietary addition of a feeding stimulant and time of seawater transfer	647
H. Toffen, A.M. Arnesen and M. Jobling (Tromsø, Norway)	
Methodology for estradiol treatment in marine larval and juvenile fish: uptake and clearance in summer flounder	663
J.L. Specker and M.K. Chandlee (Narragansett, RI, USA)	
<b>Short Communications</b>	
Development of a saddleback-like syndrome in reared white seabream <i>Diplodus sargus</i> (Linnaeus, 1758)	673
D.G. Sfakianakis, G. Koumoundouros, L. Anezaki, P. Divanach and M. Kentouri (Iraklion, Greece)	
Isolation of a new serovar of <i>Vibrio vulnificus</i> pathogenic for eels cultured in freshwater farms	677
B. Fouz and C. Amaro (Valencia, Spain)	
<b>Book reviews</b>	
Design and operating guide for aquaculture seawater systems	683
A. Kamstra (IJmuiden, The Netherlands)	
Edible Sea Urchins: Biology and Ecology	684
S. Robinson (St. Andrews, New Brunswick, Canada)	
Metal Toxicity to Fish	686
S.E. Wendelaar Bonga and R.A.C. Lock (Nijmegen, Netherlands)	
Applied Fish Pharmacology	687
M. Algoet, DVM (Weymouth, UK)	
Oceanography and Marine Biology. An Annual Review. Volume 40	689
L. de Groot (Brederoodeweg, The Netherlands)	
<b>Erratum</b>	
Erratum to "Lordosis induction in juvenile red sea bream, <i>Paragus major</i> , by high swimming activity" [Aquaculture 212 (2002) 149–158]	691
M. Kihara (Tsukuba, Japan), S. Ogata, N. Kawano, I. Kubota and R. Yamaguchi (Fukuoka, Japan)	
<b>Contents of Aquaculture, Volume 217</b>	693

